

CERTIFICATE OF COMPLIANCE

Certificate Number 20141222-EX26523
Report Reference EX26523-20141219
Issue Date 2014-DECEMBER-22

Issued to: Juntong Machinery Auxiliaries Co Ltd

This is to certify that
representative samples of

FITTINGS, GROOVED AND PLAIN END
Grooved End, Models XGQT01, XGQT01, XGQT02,
XGQT02, XGQT021, XGQT021, XGQT022, XGQT03,
XGQT03, XGQT04, XGQT04, XGQT04S, XGQT04S,
XGQT05, XGQT05, XGQT051, XGQT051, XGQT051S,
XGQT051S, XGQT06, XGQT06, XGQT07, XGQT07,
XGQT07S, XGQT07S, XGQT08, XGQT08, XGQT08S,
XGQT17, XGQT17

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 213C, Grooved and Plain End Fittings
ULC/ORD 213, Rubber Gasketed Fittings for Fire-
Protection Service

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.

Samuel

Branch Manager, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at www.ul.com/customer



CERTIFICATE OF COMPLIANCE

Certificate Number 20141222-EX26523
Report Reference EX26523-20141219
Issue Date 2014-DECEMBER-22

The following fittings are intended for use with WEIFANG JUNTONG MACHINERY AUXILIARIES CO LTD's (EX26524) Listed rubber gasketed fittings

Grooved End

Model	Type	Size In.	Rated Pressure (psig)
XGQT01	90° Elbow	1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm), 6;	300
XGQT01	90° Elbow	8, 10;	232
XGQT02	45° Elbow	1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm), 6;	300
XGQT02	45° Elbow	8, 10;	232
XGQT021	22.5° Elbow	2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm), 6;	300
XGQT021	22.5° Elbow	8;	232
XGQT022	11.25° Elbow	3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm);	300
XGQT03	Equal Tee	1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm), 6;	300
XGQT03	Equal Tee	8, 10;	232
XGQT04	Grooved Reducing Tee	2 x 1, 1-1/4, 1-1/2; 3OD(76.1mm) x 1, 1-1/4, 1-1/2, 2; 3 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm); 4-1/4OD(108.1mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 4 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 5-1/2OD(139.7mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4; 6-1/4OD(159mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4; 6-1/2OD(165.1mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/2OD(139.7mm); 6 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4, 5-1/2OD(139.7mm); 8 x 2, 3OD(76.1mm);	300



Barnhart Machinery, Authorized Distributor, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/customer



CERTIFICATE OF COMPLIANCE

Certificate Number 20141222-EX28523
Report Reference EX28523-20141219
Issue Date 2014-DECEMBER-22

XGQT04	Grooved Reducing Tee	8 x 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm), 6; 10 x 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm), 6, 8;	232
XGQT04S	Threaded Reducing Tee	2 x 1, 1-1/4, 1-1/2; 3OD(76.1mm) x 1, 1-1/4, 1-1/2; 3 x 1, 1-1/4, 1-1/2, 2; 4 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 5-1/2OD(139.7mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 6-1/2OD(165.1mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4; 6 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4;	300
XGQT04S	Threaded Reducing Tee	8 x 2, 3OD(76.1mm), 3, 4;	232
XGQT05	Equal Cross	1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm), 6;	300
XGQT05	Equal Cross	8, 10;	232
XGQT05I	Grooved Reducing Cross	4 x 3OD(76.1mm), 3; 5-1/2OD(139.7mm) x 3OD(76.1mm), 3, 4; 6-1/4OD(159mm) x 4; 6-1/2OD(165.1mm) x 3OD(76.1mm), 3, 4, 5-1/2OD(139.7mm);	300
XGQT05I	Grooved Reducing Cross	8 x 4, 5-1/2OD(139.7mm), 6-1/2OD(165.1mm), 6;	232
XGQT05IS	Threaded Reducing Cross	2 x 1, 1-1/4, 1-1/2; 3OD(76.1mm) x 1, 1-1/4, 1-1/2, 2; 3 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm); 4-1/4OD(108.1mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 4 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 5-1/4OD(133mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 5-1/2OD(139.7mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 6-1/4OD(159mm) x 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 6-1/2OD(165.1mm) x 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4; 6 x 2, 3OD(76.1mm), 3, 4;	300



Bureau Veritas, Accredited Chief Engineer, Global Inspection and Field Services

US LLC

Any information and documentation involving US, Mark services are provided on behalf of US LLC (US) or any authorized licensee of US. For questions, please contact a local US Customer Service Representative at us@usllc.com



CERTIFICATE OF COMPLIANCE

Certificate Number 20141222-EX26523
Report Reference EX26523-20141219
Issue Date 2014-DECEMBER-22

XGQT051S	Threaded Reducing Cross	8 x 2, 3OD(76.1mm), 3, 4;	232
XGQT06	End Cap	1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133 mm), 5-1/2OD(139.7mm), 6-1/4OD(159 mm), 6-1/2OD(165.1 mm), 6;	300
XGQT06	End Cap	8, 10;	232
XGQT07	Grooved Concentric Reducer	2 x 1, 1-1/4, 1-1/2; 3OD(76.1mm) x 1, 1-1/4, 1-1/2, 2; 3 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm); 4-1/4OD(108.1mm) x 2, 3OD(76.1mm), 3; 4 x 2, 3OD(76.1mm), 3; 5-1/4OD(133mm) x 4-1/4OD(108.1mm), 4; 5-1/2OD(139.7mm) x 2, 3OD(76.1mm), 3, 4; 6-1/4OD(159mm) x 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm); 6-1/2OD(165.1mm) x 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133 mm), 5-1/2OD(139.7mm); 6 x 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm);	300
XGQT07	Grooved Concentric Reducer	8 x 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7 mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm), 6; 10 x 4, 5-1/2OD(139.7mm), 6-1/2OD(165.1mm), 6, 8;	232
XGQT07S	Threaded Concentric Reducer	2 x 1, 1-1/4, 1-1/2; 3OD(76.1mm) x 1, 1-1/4, 1-1/2, 2; 3 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm); 4-1/4OD(108.1mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 4 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3; 5-1/4OD(133mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4; 5-1/2OD(139.7mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4; 6-1/4OD(159.1mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4; 6-1/2OD(165.1mm) x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4; 6 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4;	300
XGQT07S	Threaded Concentric Reducer	8 x 1, 1-1/4, 1-1/2, 2, 3OD(76.1mm), 3, 4;	232



Barnhart, Inc., a subsidiary of ULL, provides Welding, Inspection and Field Services.

U.S. LLC

Any information and documentation involving ULL, such as services are provided on behalf of ULL (U.S. LLC) or any authorized licensee of ULL. For questions, please contact a local ULL Customer Service Representative at www.ull.com/customer



CERTIFICATE OF COMPLIANCE

Certificate Number 20141222-EX26523
Report Reference EX26523-20141219
Issue Date 2014-DECEMBER-22

XGQT08	Flange adapter	1, 2, 3OD(76.1mm), 3, 4-1/4OD(108.1mm), 4, 5-1/4OD(133mm), 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm), 6;	300
XGQT08	Flange adapter	8, 10;	232
XGQT08S	Threaded Flange Adapter	2, 3OD(76.1mm), 3, 4;	300
XGQT17	Grooved Eccentric Reducer	4-1/4OD(108.1mm) x 3OD(76.1mm), 3; 4 x 3OD(76.1mm), 3; 6-1/4OD(159.1mm) x 3OD(76.1mm), 3, 4, 5-1/2OD(139.7mm); 6-1/2OD(165.1mm) x 3OD(76.1mm), 3, 4, 5-1/2OD(139.7mm);	300
XGQT17	Grooved Eccentric Reducer	8 x 3, 4, 5-1/2OD(139.7mm), 6-1/4OD(159mm), 6-1/2OD(165.1mm);	232

Be an ally

Be an ally. Account. Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/customer

