

Certificate of Conformity

This certificate confirms that the company below complies with the following standard(s):

Company Name / Approved User	Ningbo Rian Valve Co.,Ltd	WaterMark WM number:	GM-WM-040213-I02-R00	
Company Other Name		Approved User Tel:	0574 -65183789	Approved User web site www.chinarian.com
Approved User ABN (if any)		Client ID	104586	
JAS-ANZ Scheme	WaterMark Certification Scheme 2016			
Certification Standard (s)	WMTS012:2018 : In-line valves for use in plumbing water supply systems – Miscellaneous types metallic and non-metallic			

CERTIFICATE DATES:

Initial Certification / Re Certification	29/12/2017	Certification Expiry	19/12/2027
Last Certification Decision (current certification)	20/03/2023		

APPROVED COMPANY/SITE ADDRESS(ES):

Jishan, Xidian Town, Ninghai County, Ningbo City Zhejiang 330226 China

Subject to the following conditions and limitations:

- The Approved Certifier grants the right to use or arrange the use of the WaterMark as shown in the top left corner only in respect of the Products described and detailed on the Product Schedule following which are produced by the Approved User and which comply with the appropriate Applicable Specification referenced below and as amended from time to time. The Licence is granted subject to the rules governing the use of the WaterMark and the terms and conditions for certification. The WaterMark Licensee covenants to comply with all the Rules, technical reference documents and terms and conditions of the WaterMark Certification Scheme.
- This Certificate is issued by a JAS-ANZ accredited certification body. The Scheme Owner, Administering Body and Accreditation Body do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The Scheme Owner disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.
- The WaterMark is a registered certification trademark of the Scheme Owner (ABN 74 599 608 295). The rules of the WaterMark Certification Scheme are available from the ABCB website www.abcb.gov.au
- This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification. The certificate may only be reproduced in its entirety



Certification Manager




Model(s) on which the WaterMark logo may be applied by the certificate holder as a declaration of compliance by the certificate holder. *In placing the authorised mark on the product, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. In issuing this Certificate, Global-Mark has relied on the expertise of external bodies (laboratories, and technical experts).*

Model Identification	Model Name	Brand Name	Product Description/Attributes
286FP-15	286FP	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Lever Handle Rp1/2" or G1/2" or NPT1/2" DN15 PN25 DR Brass
286FP-20	286FP	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Lever Handle Rp3/4" or G3/4" or NPT3/4" DN20 PN25 DR Brass
286FP-25	286FP	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Lever Handle Rp1" or G1" or NPT1" DN25 PN25 DR Brass
286FP-32	286FP	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Lever Handle Rp1.1/4" or G1.1/4" or NPT1.1/4" DN32 PN25 DR Brass
286FP-40	286FP	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Lever Handle Rp1.1/2" or G1.1/2" or NPT1.1/2" DN40 PN25 DR Brass
286FP-50	286FP	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Lever Handle Rp2" or G2" or NPT 2" DN50 PN25 DR Brass
286FPA-15	286FPA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Butterfly Handle Rp1/2" or G1/2" or NPT1/2" DN15 PN25 DR Brass
286FPA-20	286FPA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Butterfly Handle Rp3/4" or G3/4" or NPT3/4" DN20 PN25 DR Brass
286FPA-25	286FPA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Butterfly Handle Rp1" or G1" or NPT1" DN25 PN25 DR Brass
286FPS-15	286FPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Locking- device Rp1/2" or G1/2" or NPT1/2" DN15 PN25 DR Brass
286FPS-20	286FPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Locking- device Rp3/4" or G3/4" or NPT3/4" DN20 PN25 DR Brass
286FPS-25	286FPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Locking- device Rp1" or G1" or NPT1" DN25 PN25 DR Brass
286FPS-32	286FPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Locking- device Rp1.1/4" or G1.1/4" or NPT1.1/4" DN32 PN25 DR Brass
286FPS-40	286FPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Locking- device Rp1.1/2" or G1.1/2" or NPT1.1/2" DN40 PN25 DR Brass
286FPS-50	286FPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*P) Locking- device Rp2" or G2" or NPT2" DN50 PN25 DR Brass
286P-15	286P	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Lever Handle DN15 PN25 DR Brass
286P-20	286P	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Lever Handle DN20 PN25 DR Brass
286P-25	286P	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Lever Handle DN25 PN25 DR Brass
286P-32	286P	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Lever Handle DN32 PN25 DR Brass
286P-40	286P	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Lever Handle DN40 PN25 DR Brass
286P-50	286P	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Lever Handle DN50 PN25 DR Brass
286PA-15	286PA	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Butterfly Handle DN15 PN25 DR Brass
286PA-20	286PA	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Butterfly Handle DN20 PN25 DR Brass
286PA-25	286PA	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Butterfly Handle DN25 PN25 DR Brass
286PS-15	286PS	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Locking- device DN15 PN25 DR Brass
286PS-20	286PS	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Locking- device DN20 PN25 DR Brass
286PS-25	286PS	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Locking- device DN25 PN25 DR Brass
286PS-32	286PS	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Locking- device DN32 PN25 DR Brass
286PS-40	286PS	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Locking- device DN40 PN25 DR Brass



Certification Manager





global-mark®



Model Identification	Model Name	Brand Name	Product Description/Attributes
286PS-50	286PS	RIAN, MRC, REFLEX, WATTS	Ball Valve(Press*Press) Locking- device DN50 PN25 DR Brass
286W-08	286W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp1/4"x Rp1/4"or G1/4"xG1/4"or NPT1/4"x NPT1/4" DN8 PN25 DR Brass
286W-10	286W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp3/8"x Rp3/8"or G3/8"xG3/8"or NPT3/8"x NPT3/8" DN10 PN25 DR Brass
286W-15	286W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp1/2"x Rp1/2"or G1/2"xG1/2"or NPT1/2"x NPT1/2" DN15 PN25 DR Brass
286W-20	286W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp3/4"xRp3/4"or G3/4"xG3/4"or NPT3/4"x NPT3/4" DN20 PN25 DR Brass
286W-25	286W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp1"x Rp1"or G1"xG1"or NPT1"x NPT1" DN25 PN25 DR Brass
286W-32	286W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp1.1/4"x Rp1.1/4"or G1.1/4"xG1.1/4"or NPT1.1/4"x NPT1.1/4" DN32 PN25 DR Brass
286W-40	286W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp1.1/2"xRp1.1/2"or G1.1/2"xG1.1/2"or NPT1.1/2"x NPT1.1/2" DN40 PN25 DR Brass
286W-50	286W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp2"xRp2"or G2"x G2"or NPT2"x NPT2" DN50 PN25 DR Brass
286WA-08	286WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Butterfly Handle Rp1/4"x Rp1/4"or G1/4"xG1/4"or NPT1/4"x NPT1/4" DN8 PN25 DR Brass
286WA-10	286WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Butterfly Handle Rp3/8"x Rp3/8"or G3/8"xG3/8"or NPT3/8"x NPT3/8" DN10 PN25 DR Brass
286WA-15	286WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Butterfly Handle Rp1/2"x Rp1/2"or G1/2"xG1/2"or NPT1/2"x NPT1/2" DN15 PN25 DR Brass
286WA-20	286WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Butterfly Handle Rp3/4"xRp3/4"or G3/4"xG3/4"or NPT3/4"x NPT3/4" DN20 PN25 DR Brass
286WA-25	286WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Butterfly Handle Rp1"x Rp1"or G1"xG1"or NPT1"x NPT1"DN25 PN25 DR Brass
286WS-08	286WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp1/4"x Rp1/4"or G1/4"xG1/4"or NPT1/4"x NPT1/4" DN8 PN25 DR Brass
286WS-10	286WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp3/8"x Rp3/8"or G3/8"xG3/8"or NPT3/8"x NPT3/8" DN10 PN25 DR Brass
286WS-15	286WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp1/2"x Rp1/2"or G1/2"xG1/2"or NPT1/2"x NPT1/2" DN15 PN25 DR Brass
286WS-20	286WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp3/4"xRp3/4"or G3/4"xG3/4"or NPT3/4"x NPT3/4" DN20 PN25 DR Brass
286WS-25	286WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp1"x Rp1"or G1"xG1"or NPT1"x NPT1"DN25 PN25 DR Brass
286WS-32	286WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp1.1/4"xRp1.1/4"or G1.1/4"xG1.1/4"or NPT1.1/4"x NPT1.1/4" DN32 PN25 DR Brass
286WS-40	286WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp1.1/2"xRp1.1/2"or G1.1/2"xG1.1/2"or NPT1.1/2"x NPT1.1/2" DN40 PN25 DR Brass
286WS-50	286WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp2"xRp2"or G2"x G2"or NPT2"x NPT2" DN50 PN25 DR Brass
287MP-15	287MP	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Lever Handle R1/2" or GB1/2" or NPT1/2" DN15 PN25 DR Brass
287MP-20	287MP	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Lever Handle R3/4" or GB3/4" or NPT3/4" DN20 PN25 DR Brass
287MP-25	287MP	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Lever Handle R1"or GB1"or NPT1" DN25 PN25 DR Brass
287MP-32	287MP	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Lever Handle R1.1/4" or GB1.1/4" or NPT1.1/4" DN32 PN25 DR Brass
287MP-40	287MP	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Lever Handle R1.1/2"or GB1.1/2" or NPT1.1/2" DN40 PN25 DR Brass
287MP-50	287MP	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Lever Handle R2"or GB2"or NPT2" DN50 PN25 DR Brass
287MPA-15	287MPA	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Butterfly Handle R1/2"or GB1/2" or NPT1/2" DN15 PN25 DR Brass
287MPA-20	287MPA	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Butterfly Handle R3/4"or GB3/4" or NPT3/4" DN20 PN25 DR Brass
287MPA-25	287MPA	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Butterfly Handle R1"or GB1"or NPT1" DN25 PN25 DR Brass
287MPS-15	287MPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Locking- device R1/2" or GB1/2" or NPT1/2" DN15 PN25 DR Brass
287MPS-20	287MPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Locking- device R3/4"or GB3/4" or NPT3/4" DN20 PN25 DR Brass



Certification Manager



global-mark®



Model Identification	Model Name	Brand Name	Product Description/Attributes
287MPS-25	287MPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Locking- device R1"or GB1"or NPT1" DN25 PN25 DR Brass
287MPS-32	287MPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Locking- device R1.1/4"or GB1.1/4" or NPT1.1/4" DN32 PN25 DR Brass
287MPS-40	287MPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Locking- device R1.1/2"or GB1.1/2" or NPT1.1/2" DN40 PN25 DR Brass
287MPS-50	287MPS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*P) Locking- device R2"or GB2"or NPT2" DN50 PN25 DR Brass
287W-08	287W	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Lever Handle R1/4"xRp1/4"or G1/4"xGB1/4"or NPT1/4"x NPT1/4" DN8 PN25 DR Brass
287W-10	287W	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Lever Handle R3/8"xRp3/8"or G3/8"xGB3/8"or NPT3/8"x NPT3/8" DN10 PN25 DR Brass
287W-15	287W	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Lever Handle R1/2"xRp1/2"or or G1/2"xGB1/2"or NPT1/2"x NPT1/2" DN15 PN25 DR Brass
287W-20	287W	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Lever Handle R3/4"xRp3/4"or G3/4"xGB3/4"or NPT3/4"x NPT3/4" DN20 PN25 DR Brass
287W-25	287W	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Lever Handle R1"xRp1"or G1"xGB1"or NPT1"x NPT1" DN25 PN25 DR Brass
287W-32	287W	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Lever Handle R1.1/4"xRp1.1/4"or G1.1/4"xGB1.1/4"or NPT1.1/4"x NPT1.1/4" DN32 PN25 DR Brass
287W-40	287W	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Lever Handle R1.1/2"xRp1.1/2"or or G1.1/2"xGB1.1/2"or NPT1.1/2"x NPT1.1/2" DN40 PN25 DR Brass
287W-50	287W	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Lever Handle R2"xRp2"or G2"x GB2"or NPT2"x NPT2" DN50 PN25 DR Brass
287WA-08	287WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Butterfly Handle R1/4"xRp1/4"or G1/4"xGB1/4"or NPT1/4"x NPT1/4" DN8 PN25 DR Brass
287WA-10	287WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Butterfly Handle R3/8"xRp3/8"or G3/8"xGB3/8"or NPT3/8"x NPT3/8" DN10 PN25 DR Brass
287WA-15	287WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Butterfly Handle R1/2"xRp1/2"or G1/2"xGB1/2"or NPT1/2"x NPT1/2" DN15 PN25 DR Brass
287WA-20	287WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Butterfly Handle R3/4"xRp3/4"or G3/4"xGB3/4"or NPT3/4"x NPT3/4" DN20 PN25 DR Brass
287WA-25	287WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Butterfly Handle R1"xRp1"or G1"xGB1"or NPT1"x NPT1" DN25 PN25 DR Brass
287WS-08	287WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Locking- device Handle R1/4"xRp1/4"or G1/4"xGB1/4"or NPT1/4"x NPT1/4" DN8 PN25 DR Brass
287WS-10	287WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Locking- device Handle R3/8"xRp3/8"or G3/8"xGB3/8"or NPT3/8"x NPT3/8" DN10 PN25 DR Brass
287WS-15	287WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Locking- device Handle R1/2"xRp1/2"or G1/2"xGB1/2"or NPT1/2"x NPT1/2" DN15 PN25 DR Brass
287WS-20	287WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Locking- device Handle R3/4"xRp3/4"or G3/4"xGB3/4"or NPT3/4"x NPT3/4" DN20 PN25 DR Brass
287WS-25	287WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Locking- device Handle R1"xRp1"or G1"xGB1"or NPT1"x NPT1" DN25 PN25 DR Brass
287WS-32	287WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Locking- device Handle R1.1/4"xRp1.1/4"or G1.1/4"xGB1.1/4"or NPT1.1/4"x NPT1.1/4" DN32 PN25 DR Brass
287WS-40	287WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Locking- device Handle R1.1/2"xRp1.1/2"or G1.1/2"xGB1.1/2"or NPT1.1/2"x NPT1.1/2" DN40 PN25 DR Brass
287WS-50	287WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(M*F) Locking- device Handle R2"xRp2"or G2"x GB2"or NPT2"x NPT2"DN50 PN25 DR Brass
246W-15	246W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp1/2"x Rp1/2"or G1/2"xG1/2"or NPT1/2"x NPT1/2" DN15 PN25 DR Brass
246W-20	246W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp3/4"xRp3/4"or G3/4"xG3/4"or NPT3/4"x NPT3/4" DN20 PN25 DR Brass
246W-25	246W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp1"x Rp1"or G1"xG1"or NPT1"x NPT1" DN25 PN25 DR Brass
246W-32	246W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp1.1/4"x Rp1.1/4"or G1.1/4"xG1.1/4"or NPT1.1/4"x NPT1.1/4" DN32 PN25 DR Brass
246W-40	246W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp1.1/2"xRp1.1/2"or G1.1/2"xG1.1/2"or NPT1.1/2"x NPT1.1/2" DN40 PN25 DR Brass
246W-50	246W	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Lever Handle Rp2"xRp2"or G2"x G2"or NPT2"x NPT2" DN50 PN25 DR Brass
246WA-15	246WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Butterfly Handle Rp1/2"x Rp1/2"or G1/2"xG1/2"or NPT1/2"x NPT1/2" DN15 PN25 DR Brass
246WA-20	246WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Butterfly Handle Rp3/4"xRp3/4"or G3/4"xG3/4"or NPT3/4"x NPT3/4" DN20 PN25 DR Brass



Certification Manager

Model Identification	Model Name	Brand Name	Product Description/Attributes
246WA-25	246WA	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Butterfly Handle Rp1"x Rp1"or G1"xG1"or NPT1"x NPT1"DN25 PN25 DR Brass
246WS-15	246WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp1/2"x Rp1/2"or G1/2"xG1/2"or NPT1/2"x NPT1/2" DN15 PN25 DR Brass
246WS-20	246WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp3/4"xRp3/4"or G3/4"xG3/4"or NPT3/4"x NPT3/4" DN20 PN25 DR Brass
246WS-25	246WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp1"x Rp1"or G1"xG1"or NPT1"x NPT1"DN25 PN25 DR Brass
246WS-32	246WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp1.1/4"xRp1.1/4"or G1.1/4"xG1.1/4"or NPT1.1/4"x NPT1.1/4" DN32 PN25 DR Brass
246WS-40	246WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp1.1/2"xRp1.1/2"or G1.1/2"xG1.1/2"or NPT1.1/2"x NPT1.1/2" DN40 PN25 DR Brass
246WS-50	246WS	RIAN, MRC, REFLEX, WATTS	Ball Valve(F*F) Locking- device Handle Rp2"xRp2"or G2"x G2"or NPT2"x NPT2" DN50 PN25 DR Brass

Comments, Conditions and Limitations:

End of the document



Certification Manager

