

VIZM.EX15228 - Fittings, Rubber Gasketed

Fittings, Rubber Gasketed

[See General Information for Fittings, Rubber Gasketed](#)**SHANDONG LEDE MACHINERY CO LTD**

EX15228

No 3998

West Waihuan N Rd

Weicheng District

Weifang, Shandong 261057 CHINA

Coupling

Model	Groove Type	Pipe	Size (in.)	Rated Pressure (psig)
XGQT1	Cut, Rolled	40	1", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4", 5", 6", 8", 10", 12"	300
XGQT1	Cut, Rolled	GB/T3091	2-1/2" (76.1 mm), 4-1/4OD(108mm), 5" (139.7 mm), 6-1/4OD(159mm)	300
XGQT1	Cut, Rolled	GB/T3092	6" (165 mm)	300
XGQT1	Rolled, Cut	JIS G3452, JIS G3454	216.3mm, 267.4mm, 318.5mm	300
XGQT1-M1	Cut	40	4", 6", 8"	500
XGQT1-M1	Cut	GB/T8163	5"	500
GKS	Rolled	10	1", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4", 5", 6", 8", 10"	300
GKS	Cut, Rolled	40	1", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4", 5", 6", 8", 10", 12"	300
GKS	Rolled	GB/T3091	3 OD (76.1 mm), 5-1/2 OD (139.7 mm), 6-1/2 OD (165.1 mm)	300
GKS	Rolled	Fire-Flo Schedule 7	1-1/4", 1-1/2", 2", 2-1/2", 3", 4"	300
1512	Rolled	10	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5	500
1512	Rolled	10	6, 8	450
1512	Rolled	10	10	400

1512	Cut, Rolled	40	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5	500
1512	Cut, Rolled	40	6, 8	450
1512	Cut, Rolled	40	10, 12	400
1512	Cut, Rolled	GB/T3091	3 OD (76.1 mm), 5-1/2 OD (139.7 mm)	500
1512	Cut, Rolled	GB/T3091	6-1/2 OD (165.1 mm)	450
1512	Rolled, Cut	JIS G3454	216.3mm, 267.4mm, 318.5mm	500
XGQT2	Rolled, Cut	Sch 40	14, 16	300
31HP	Rolled, Cut	40	2, 3, 4	1000
31HP	Rolled, Cut	80	2, 3, 4, 6, 8, 10, 12	1000
1402	Rolled	10	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
1402	Rolled, cut	40	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
1402	Rolled, cut	EN 10217	76.1mm(2.9mm)	300
1402	Rolled, cut	EN 10220	76.1mm(2.6mm)	300
1402	Rolled, cut	JIS G3452	76.3mm	300

Fast-connected coupling

Model	Groove Type	Pipe	Size (in.)	Rated Pressure (psig)
XGQT4	Rolled	Fire-Flo Schedule 7	1-1/4", 1-1/2", 2", 2-1/2", 3", 4"	300
XGQT4	Rolled	10, 40	1", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4", 5", 6", 8"	300
XGQT4	Rolled, Cut	GB/T 3091	76.1mm, 139.7mm, 165.1mm	300
XGQT4	Rolled, cut	EN 10217	76.1mm(2.9mm), 139.7mm(3.6mm)	300
XGQT4	Rolled, cut	EN 10220	76.1mm(2.6mm), 139.7mm(6.3mm)	300
XGQT4	Rolled, cut	EN 10255	165.1mm(5.0mm)	300

XGQT4	Rolled, cut	JIS G3452	76.3mm, 139.8mm, 165.2mm	300
-------	-------------	-----------	--------------------------	-----

Angle Pad Rigid Coupling (for use with grooved end pipe)

Model	Groove Type	Pipe	Size (in.)	Rated Pressure (psig)
GKS+	Rolled	Sch 7	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
GKS+	Rolled	Sch 10	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6	300
GKS+	Rolled, Cut	Sch 40	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4, 5, 6, 8, 10, 12, 14, 16	300
GKS+	Rolled, Cut	GB/T 3091	76.1mm, 139.7mm, 165.1mm	300

Flange Adapter

Model	Groove Type	Pipe	Size (in.)	Rated Pressure (psig)
XGQT09	Cut, Rolled	10, 40	2", 2-1/2", 3", 4", 5", 6", 8", 10", 12"	300
XGQT09	Cut, Rolled	4200	76.1/4.5mm, 108/4mm, 133/5.4mm, 139.7/5mm, 159/4mm, 165.1/6.3mm	300
L991	Cut, Rolled	10, 40	2", 2-1/2", 3", 4", 5", 6", 8", 10", 12"	300

Flexible coupling

Model	Groove Type	Pipe	Size (in.)	Rated Pressure (psig)
XGQT1	Rolled	Fire-Flo Schedule 7	1-1/4", 1-1/2", 2", 2-1/2", 3", 4"	300
XGQT1	Rolled	10	1-1/4", 1-1/2", 2", 2-1/2", 3", 4", 5", 6", 8"	300
XGQT2	Cut, Rolled	40	1", 1-1/4", 1-1/2", 2", 2-1/2", 3", 4", 5", 6", 8", 10", 12"	300
XGQT2	Cut, Rolled	GB/T3091	2-1/2" (76.1 mm), 4-1/4OD(108mm), 5" (139.7 mm), 6-1/4OD(159mm)	300
XGQT2	Cut, Rolled	GB/T3092	6" (165 mm)	300
XGQT2	Rolled	Fire-Flo Schedule 7	1-1/4", 1-1/2", 2", 2-1/2", 3", 4"	300
XGQT2	Rolled	10	1-1/4", 1-1/2", 2", 2-1/2", 3", 4"	300
XGQT2	Rolled, Cut	JIS G3452	216.3mm, 267.4mm, 318.5mm	500

1212	Rolled	10	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4, 5	500
1212	Rolled	10	6	450
1212	Cut, Rolled	40	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4, 5	500
1212	Cut, Rolled	40	6, 8	450
1212	Cut, Rolled	40	10, 12	400
1212	Cut, Rolled	GB/T3091	3 OD (76.1 mm), 5-1/2 OD (139.7 mm)	500
1212	Cut, Rolled	GB/T3091	6-1/2 OD (165.1 mm)	450
1212	Rolled, Cut	JIS G3452	216.3mm, 267.4mm, 318.5mm	500
1403	Rolled	10	2, 2-1/2, 3, 4, 5, 6	363
1403	Rolled, Cut	40	2, 2-1/2, 3, 4, 5, 6	363
1403	Rolled, Cut	EN 10217	76.1mm(2.9mm), 139.7mm(3.6mm)	363
1403	Rolled, Cut	EN 10220	76.1mm(2.6mm), 139.7mm(6.3mm)	363
1403	Rolled, Cut	EN 10255	165.1mm(5.0mm)	363
1403	Rolled, Cut	JIS G3452	76.3mm, 139.8mm, 165.2mm	363
1405	Rolled	10	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
1405	Rolled, cut	40	1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 4	300
1405	Rolled, cut	EN 10217	76.1mm(2.9mm)	300
1405	Rolled, cut	EN 10220	76.1mm(2.6mm)	300
1405	Rolled, cut	JIS G3452	76.3mm	300

Reducing Coupling

Model	Groove Type	Pipe	Size (in.)	Rated Pressure (psig)
--------------	--------------------	-------------	-------------------	------------------------------

XGQT3	Cut, Rolled	40	2" x 1-1/4", 1-1/2", 2-1/2" x 2", 3" x 2", 3" x 2-1/2", 4" x 2", 4" x 2-1/2", 4" x 3", 6" x 2-1/2", 6" x 3", 6" x 4", 8" x 4", 6"	300
XGQT3	Cut, Rolled	40 x GB/T3091	3" x 76.1 mm	300
XGQT3	Cut, Rolled	40 x GB/T3091	4" x 76.1 mm, 6" x 76.1mm	300
XGQT3	Cut, Rolled	GB/T3091 x 40	76.1 mm x 2", 139.7mm x 4" 165.1mm x 76.1mm, 4"	300
XGQT3	Rolled	10	1-1/2 x 1-1/4; 2 x 1-1/4; 2-1/2 x 1, 1-1/4, 1-1/2; 3 x 1, 1-1/4, 1-1/2; 5 x 4; 6 x 5, 6-1/2 OD (165.1 mm), ; 8 x 4;	300
XGQT3	Cut, Rolled	40	1-1/2 x 1-1/4; 2-1/2 x 1, 1-1/4, 1-1/2; 3 x 1, 1-1/4, 1-1/2; 5 x 4; 6 x 5, 6-1/2 OD (165.1 mm)	300
XGQT3	Cut, Rolled	GB/T3091	3 OD (76.1 mm) x 1-1/2, 2-1/2; 6-1/2 OD (165.1 mm) x 3	300

Side outlet

Model	Groove Type	Pipe	Size (in.)	Rated Pressure (psig)
XGQT04	Threaded	40	2" x 1/2", 3/4", 1", 1-1/4", 1-1/2"	300
XGQT04	Threaded	40	2-1/2" x 1/2", 3/4", 1", 1-1/4", 1-1/2"	300
XGQT04	Threaded	40	3" x 1/2", 3/4", 1", 1-1/4", 1-1/2", 2"	300
XGQT04	Threaded	40	4" x 1", 1-1/4", 1-1/2", 2", 2-1/2"	300
XGQT04	Threaded	40	5" x 1", 1-1/4", 1-1/2", 2", 2-1/2"	300
XGQT04	Threaded	40	6" x 1", 1-1/4", 1-1/2", 2", 2-1/2"	300
XGQT04	Threaded	40	8" x 1", 1-1/4", 1-1/2", 2", 2-1/2"	300
XGQT04	Threaded	GB/T3091	76.1 mm x 1/2", 3/4", 1", 1-1/4", 1-1/2"	300
XGQT04	Threaded	GB/T3091	139.7 mm x 1", 1-1/4", 1-1/2", 2", 2-1/2"	300

XGQT04	Threaded	GB/T3092	165 mm x 1", 1-1/4", 1-1/2", 2", 2-1/2"	300
XGQT04G	Grooved	40	2" x 1-1/4", 1-1/2"	300
XGQT04G	Grooved	10, 40	2-1/2" x 1-1/4", 1-1/2"	300
XGQT04G	Grooved	40	3" x 1-1/4", 1-1/2", 2"	300
XGQT04G	Grooved	40	4" x 1-1/4", 1-1/2", 2", 2-1/2", 76.1 mm	300
XGQT04G	Grooved	40	5" x 1-1/2", 2"	300
XGQT04G	Grooved	10, 40	6" x 1-1/4", 1-1/2", 2-1/2"	300
XGQT04G	Grooved	40	6" x 2", 76.1 mm	300
XGQT04G	Grooved	10, 40	6" x 3", 4"	175
XGQT04G	Grooved	10, 40	8" x 2-1/2", 76.1 mm, 3"	300
XGQT04G	Grooved	GB/T3091	76.1 mm x 1-1/4", 1-1/2"	300
XGQT04G	Grooved	GB/T3091	139.7 mm x 1-1/2", 2"	300
XGQT04G	Grooved	GB/T3092	165 mm x 2", 76.1 mm	300
041	Threaded	40	1-1/4" x 1/2", 3/4", 1"	300
041	Threaded	40	1-1/2" x 1/2", 3/4", 1"	300
041	Threaded	40	2" x 1/2", 3/4", 1"	300
041	Threaded	40	2-1/2" x 1/2", 3/4", 1"	300
041	Threaded	Sch 10 & 40	2 x 1-1/4, 1-1/2 3 x 1/2, 3/4, 1 4 x 1/2, 3/4, 1	300
041	Threaded	GB/T 3091	76.1mm x 1/2, 3/4, 1	300
L922	Threaded	10, 40	1" x 1/2"	300
L922	Threaded	10	1-1/4" x 1/2", 3/4", 1"	300
L922	Threaded	10	1-1/2" x 1/2", 3/4", 1"	300
L922	Threaded	10, 40	2" x 1/2", 3/4", 1"	300
L922	Threaded	10, 40	2-1/2" x 1/2", 3/4", 1"	300
L922	Threaded	GB/T3091	76.1 mm x 1/2", 3/4", 1"	300
L922	Threaded	10, 40	3" x 1"	300
4401	Threaded	10, 40	1x1/2	300
4401	Threaded	10, 40	1x3/4	300
4401	Threaded	10, 40	1-1/4x1/2	300

4401	Threaded	10, 40	1-1/4x3/4	300
4401	Threaded	10, 40	1-1/4x1	300
4401	Threaded	10, 40	1-1/2x1/2	300
4401	Threaded	10, 40	1-1/2x3/4	300
4401	Threaded	10, 40	1-1/2x1	300
4401	Threaded	10, 40	2x1/2	300
4401	Threaded	10, 40	2x3/4	300
4401	Threaded	10, 40	2x1	300
4401	Threaded	10, 40	2-1/2x1/2	300
4401	Threaded	10, 40	2-1/2x3/4	300
4401	Threaded	10, 40	2-1/2x1	300
4401	Threaded	GB/T3091	3ODx1/2	300
4401	Threaded	GB/T3091	3ODx3/4	300
4401	Threaded	GB/T3091	3ODx1	300
4401	Threaded	10, 40	3x1	300
4101	Grooved	10,40	2x1-1/4	300/2070
4101	Grooved	10,40	2x1-1/2	300/2070
4101	Grooved	10,40	2-1/2x1-1/4	300/2070
4101	Grooved	10,40	2-1/2x1-1/2	300/2070
4101	Grooved	GB/T3091	3ODx1-1/4	300/2070
4101	Grooved	GB/T3091	3ODx1-1/2	300/2070
4101	Grooved	GB/T3091	3ODx2	300/2070
4101	Grooved	10,40	3x1-1/4	300/2070
4101	Grooved	10,40	3x1-1/2	300/2070
4101	Grooved	10,40	3x2	300/2070
4101	Grooved	GB/T3091	4-1/4ODx2	300/2070
4101	Grooved	10,40	4x1-1/4	300/2070
4101	Grooved	10,40	4x1-1/2	300/2070
4101	Grooved	10,40	4x2	300/2070
4101	Grooved	GB/T3091	5-1/2ODx1-1/2	300/2070

4101	Grooved	GB/T3091	5-1/2ODx2	300/2070
4101	Grooved	10,40	5x1-1/2	300/2070
4101	Grooved	10,40	5x2	300/2070
4101	Grooved	GB/T3091	6-1/4ODx2	300/2070
4101	Grooved	GB/T3091	6-1/2ODx1-1/4	300/2070
4101	Grooved	GB/T3091	6-1/2ODx1-1/2	300/2070
4101	Grooved	GB/T3091	6-1/2ODx2	300/2070
4101	Grooved	10,40	6x1-1/4	300/2070
4101	Grooved	10,40	6x1-1/2	300/2070
4101	Grooved	10,40	6x2	300/2070
4101	Grooved	10,40	8x2	300/2070
4201	Threaded	10,40	2x1/2	300/2070
4201	Threaded	10,40	2x3/4	300/2070
4201	Threaded	10,40	2x1	300/2070
4201	Threaded	10,40	2x1-1/4	300/2070
4201	Threaded	10,40	2x1-1/2	300/2070
4201	Threaded	10,40	2-1/2x1/2	300/2070
4201	Threaded	10,40	2-1/2x3/4	300/2070
4201	Threaded	10,40	2-1/2x1	300/2070
4201	Threaded	10,40	2-1/2x1-1/4	300/2070
4201	Threaded	10,40	2-1/2x1-1/2	300/2070
4201	Threaded	GB/T3091	3ODx1/2	300/2070
4201	Threaded	GB/T3091	3ODx3/4	300/2070
4201	Threaded	GB/T3091	3ODx1	300/2070
4201	Threaded	GB/T3091	3ODx1-1/4	300/2070
4201	Threaded	GB/T3091	3ODx1-1/2	300/2070
4201	Threaded	10,40	3x1/2	300/2070
4201	Threaded	10,40	3x3/4	300/2070
4201	Threaded	10,40	3x1	300/2070
4201	Threaded	10,40	3x1-1/4	300/2070

4201	Threaded	10,40	3x1-1/2	300/2070
4201	Threaded	10,40	3x2	300/2070
4201	Threaded	10,40	4x1/2	300/2070
4201	Threaded	10,40	4x3/4	300/2070
4201	Threaded	10,40	4x1	300/2070
4201	Threaded	10,40	4x1-1/4	300/2070
4201	Threaded	10,40	4x1-1/2	300/2070
4201	Threaded	10,40	4x2	300/2070
4201	Threaded	GB/T3091	4-1/4ODx1	300/2070
4201	Threaded	GB/T3091	4-1/4ODx1-1/4	300/2070
4201	Threaded	GB/T3091	4-1/4ODx1-1/2	300/2070
4201	Threaded	GB/T3091	4-1/4ODx2	300/2070
4201	Threaded	GB/T3091	5-1/4ODx1	300/2070
4201	Threaded	GB/T3091	5-1/4ODx1-1/4	300/2070
4201	Threaded	GB/T3091	5-1/4ODx1-1/2	300/2070
4201	Threaded	GB/T3091	5-1/4ODx2	300/2070
4201	Threaded	GB/T3091	5-1/2ODx1	300/2070
4201	Threaded	GB/T3091	5-1/2ODx1-1/4	300/2070
4201	Threaded	GB/T3091	5-1/2ODx1-1/2	300/2070
4201	Threaded	GB/T3091	5-1/2ODx2	300/2070
4201	Threaded	10,40	5x1	300/2070
4201	Threaded	10,40	5x1-1/4	300/2070
4201	Threaded	10,40	5x1-1/2	300/2070
4201	Threaded	10,40	5x2	300/2070
4201	Threaded	GB/T3091	6-1/2ODx1	300/2070
4201	Threaded	GB/T3091	6-1/2ODx1-1/4	300/2070
4201	Threaded	GB/T3091	6-1/2ODx1-1/2	300/2070
4201	Threaded	GB/T3091	6-1/2ODx2	300/2070
4201	Threaded	10,40	6x1	300/2070
4201	Threaded	10,40	6x1-1/4	300/2070